

Morris couplings

Compression coupling - galvanized

Article number	Description
MOR0104503W3	Galvanized compression coupling 4-3C for 4.50 OD-114.3MM white neoprene/SS GP
MOR0109754W2	Galvanized compression coupling 9-3/4-4C-OD for 9.75 OD-248mm white neoprene/SS GS
MOR0110753W2	Galvanized compression coupling 10-3C for 10.75 OD-273mm white neoprene/SS GS
MOR0110754S2	Galvanized compression coupling 10-4C for 10.75 OD 273mm red silicone/SS GS
MOR0110004W3	Galvanized compression coupling 10-4C-OD for 10.00 OD-254mm white neoprene/SS GP
MOR0101503W3	Galvanized compression coupling 1-1/2-3C-OD for 1.50 OD-38.1mm white neoprene/SS GP
MOR0101252W2	Galvanized compression coupling 1-1/4-2C-OD for 1.25 OD-31.8mm white neoprene/SS GS
MOR0112754S2	Galvanized compression coupling 12-4C for 12.75 OD 323.9mm red silicone/SS GS
MOR0101183W2	Galvanized compression coupling 1-3/16-3C-OD for 1.18 OD-29.9mm white neoprene/SS GS
MOR0115755W2	Galvanized compression coupling 15.75-5C-OD for 15.75 OD-400mm white neoprene/SS GS
MOR0102952W2	Galvanized compression coupling 2.95-2C-OD for 75mm OD white gasket/SS GS
MOR0102874W2	Galvanized compression coupling 2-1/2-4C for 2.87 OD-72.8mm white neoprene/SS GS
MOR0102182W2	Galvanized compression coupling 2-3/16-2C-OD for 2.18 OD-55.3mm white neoprene/SS GS
MOR0102753W4	Galvanized compression coupling 2-3/4-3C-OD for 2.75 OD-69.8mm white neoprene/ SS GS, SS GP
MOR0102374W2	Galvanized compression coupling 2-4C for 2.37 OD-60.1mm white neoprene/SS GS
MOR0103143S2	Galvanized compression coupling 3.14 -3C-OD for 80 mm OD red silicone ss gs
MOR0103143W4	Galvanized compression coupling 3.149-3C-OD for 80mm OD white neoprene/SS GP, SS GS
MOR0103313W3	Galvanized compression coupling 3.31-3C
MOR0103744W2	Galvanized compression coupling 3.74-4C - OD for 95mm OD white neoprene/SS GS
MOR0103823W2	Galvanized compression coupling 3.82-3C-OD for 3.82 od 97 mm white neoprene/SS GS
MOR0104002W3	Galvanized compression coupling 3-1/2-2C for 4.00 o-101.6mm white neoprene/SS GP
MOR0104003S2	Galvanized compression coupling 3-1/2-3C for 4.00 OD-101.6mm red silicone/SS GS
MOR0103504S2	Galvanized compression coupling 3-4C for 3.50 OD-88.9mm red silicone/SS GS
MOR0104093S2	Galvanized compression coupling 4.09-3C for OD 104mm red silicone/SS GS
MOR0104413W2	Galvanized compression coupling 4.41-3C-OD for 112mm OD white neoprene/SS GS
MOR0104504S2	Galvanized compression coupling 4-4C for 4.50 OD-114.3mm red silicone/SS GS
MOR0105066W2	Galvanized compression coupling 5.07-6C-OD for 129mm OD white neoprene/SS GS
MOR0105076W2	Galvanized compression coupling 5.07-6C-OD for 129mm OD white neoprene/SS GS
MOR0105913S2	Galvanized compression coupling 5.913-3C for OD 150mm red silicone/SS GS
MOR0105254S2	Galvanized compression coupling 5-1/4-4C-OD for 5.25 OD-133.3mm red silicone/SS GS
MOR0106254S2	Galvanized compression coupling 6-1/4-4C-OD for 6.25 OD-159mm red silicone/SS GS
MOR0106623S2	Galvanized compression coupling 6-3C for 6.62 OD-168.3mm red silicone/SS GS
MOR0106624S2	Galvanized compression coupling 6-4C for 6.62 OD - 168.3mm red silicone/ss gs
MOR0106624W4	Galvanized compression coupling 6-4C for 6.62 OD-168.3mm white neoprene/SS GP, SS GS
MOR0107084W2	Galvanized compression coupling 7.08-4C-OD for 7.08" OD white neoprene gasket SS GS
MOR0107094W2	Galvanized compression coupling 7.09-4C-OD for 180mm OD white neoprene/SS GS
MOR0107504W2	Galvanized compression coupling 7-1/2-4C-OD for 7.50 OD-190.5M white neoprene /SS GS
MOR0108184W2	Galvanized compression coupling 8.19-4C-OD for 208mm OD white gasket, SS
MOR0108623S2	Galvanized compression coupling 8-3C for 8.62 OD-219mm red silicone/SS GS
MOR0108003W2	Galvanized compression coupling 8-3C-OD for 8.00 OD-203.2mm white neoprene/SS GS
MOR0108624S2	Galvanized compression coupling 8-4C for 8.62 OD-219mm red silicone/SS GS
MOR0109843W2	Galvanized compression coupling 9.84 - 3C - OD for 250mm white neoprene/ ss gs
MOR0109844W2	Galvanized compression coupling 9.84-4C-OD for 250mm OD white neoprene/SS GS
MOR0103932W2	Galvanized compression coupling o.d. 100 white neoprene gasket 2 bolts
MOR0103933W2	Galvanized compression coupling o.d. 100 white neoprene gasket 3 bolts
MOR0103934W2	Galvanized compression coupling o.d. 100 white neoprene gasket 4 bolts
MOR0104002W2	Galvanized compression coupling o.d. 101.6 white neoprene gasket 2 bolts
MOR0104003W2FG	Galvanized compression coupling o.d. 101.6 white neoprene gasket 3 bolts
MOR0104004W2FG	Galvanized compression coupling o.d. 101.6 white neoprene gasket 4 bolts

MOR0114005W2	Galvanized compression coupling o.d. 355.6 white neoprene gasket 5 bolts
MOR0101502W2	Galvanized compression coupling o.d. 38.1 white neoprene gasket 2 bolts
MOR0101503W2	Galvanized compression coupling o.d. 38.1 white neoprene gasket 3 bolts
MOR0101572W2	Galvanized compression coupling o.d. 40 white neoprene gasket 2 bolts
MOR0101573W2	Galvanized compression coupling o.d. 40 white neoprene gasket 3 bolts
MOR0101662W2	Galvanized compression coupling o.d. 42.1 white neoprene gasket 2 bolts
MOR0101663W2	Galvanized compression coupling o.d. 42.1 white neoprene gasket 3 bolts
MOR0101752W2	Galvanized compression coupling o.d. 44.5 white neoprene gasket 2 bolts
MOR0101753W2	Galvanized compression coupling o.d. 44.5 white neoprene gasket 3 bolts
MOR0101772W2	Galvanized compression coupling o.d. 45 white neoprene gasket 2 bolts
MOR0101773W2	Galvanized compression coupling o.d. 45 white neoprene gasket 3 bolts
MOR0101902W2	Galvanized compression coupling o.d. 48.3 white neoprene gasket 2 bolts
MOR0101903W2	Galvanized compression coupling o.d. 48.3 white neoprene gasket 3 bolts
MOR0101972W2	Galvanized compression coupling o.d. 50 white neoprene gasket 2 bolts
MOR0101973W2	Galvanized compression coupling o.d. 50 white neoprene gasket 3 bolts
MOR0102002W2	Galvanized compression coupling o.d. 50.8 white neoprene gasket 2 bolts
MOR0102003W2FG	Galvanized compression coupling o.d. 50.8 white neoprene gasket 3 bolts
MOR0102083W2	Galvanized compression coupling o.d. 53 white neoprene gasket 2 bolts
MOR0102122W2	Galvanized compression coupling o.d. 54 white neoprene gasket 2 bolts
MOR0102123W2	Galvanized compression coupling o.d. 54 white neoprene gasket 3 bolts
MOR0102123W4	Galvanized compression coupling o.d. 54 white neoprene gasket 3 bolts
MOR0102123O0	Galvanized compression coupling o.d. 54 without gasket 2 bolts
MOR0102172W2	Galvanized compression coupling o.d. 55 white neoprene gasket 2 bolts
MOR0102173W2	Galvanized compression coupling o.d. 55 white neoprene gasket 3 bolts
MOR0102183W2	Galvanized compression coupling o.d. 55 white neoprene gasket 3 bolts
MOR0102202W2	Galvanized compression coupling o.d. 56 white neoprene gasket 2 bolts
MOR0102203W2	Galvanized compression coupling o.d. 56 white neoprene gasket 3 bolts
MOR0102252W2	Galvanized compression coupling o.d. 57 white neoprene gasket 2 bolts
MOR0102253W2	Galvanized compression coupling o.d. 57 white neoprene gasket 3 bolts
MOR0102373W2FG	Galvanized compression coupling o.d. 60.3 white neoprene gasket 3 bolts
MOR0102372W2FG	Galvanized compression coupling o.d. 60.31 white neoprene gasket 2 bolts
MOR0102502W2	Galvanized compression coupling o.d. 63.5 white neoprene gasket 2 bolts
MOR0102503W2FG	Galvanized compression coupling o.d. 63.5 white neoprene gasket 3 bolts
MOR0102552W2	Galvanized compression coupling o.d. 65 white neoprene gasket 2 bolts
MOR0102553W2	Galvanized compression coupling o.d. 65 white neoprene gasket 3 bolts
MOR0102682W2	Galvanized compression coupling o.d. 68 white neoprene gasket 2 bolts
MOR0102683W2	Galvanized compression coupling o.d. 68 white neoprene gasket 3 bolts
MOR0102723W2	Galvanized compression coupling o.d. 69 white neoprene gasket 2 bolts
MOR0102752W2	Galvanized compression coupling o.d. 69.8 mm white neoprene gasket 2 bolts
MOR0102753W2	Galvanized compression coupling o.d. 69.8 white neoprene gasket 3 bolts
MOR0102792W2	Galvanized compression coupling o.d. 71 white neoprene gasket 2 bolts
MOR0102793W2	Galvanized compression coupling o.d. 71 white neoprene gasket 3 bolts
MOR0102794W2	Galvanized compression coupling o.d. 71 white neoprene gasket 4 bolts
MOR0102872W2	Galvanized compression coupling o.d. 72.8 white neoprene gasket 2bolts
MOR0102873W2	Galvanized compression coupling o.d. 72.8 white neoprene gasket 3bolts
MOR0102912W2	Galvanized compression coupling o.d. 74 white neoprene gasket 2 bolts
MOR0102913W2	Galvanized compression coupling o.d. 74 white neoprene gasket 3 bolts
MOR0102914W2	Galvanized compression coupling o.d. 74 white neoprene gasket 4 bolts
MOR0103002W2	Galvanized compression coupling o.d. 76.2 white neoprene gasket 2 bolts
MOR0103003W2FG	Galvanized compression coupling o.d. 76.2 white neoprene gasket 3 bolts
MOR0103004W2FG	Galvanized compression coupling o.d. 76.2 white neoprene gasket 4 bolts
MOR0103142W2	Galvanized compression coupling o.d. 80 white neoprene gasket 2 bolts
MOR0103143W2	Galvanized compression coupling o.d. 80 white neoprene gasket 3 bolts
MOR0103153W2	Galvanized compression coupling o.d. 80 white neoprene gasket 3 bolts
MOR0103154W2	Galvanized compression coupling o.d. 80 white neoprene gasket 4 bolts
MOR0103252W2	Galvanized compression coupling o.d. 82.5 white neoprene gasket 2 bolts
MOR0103253W2	Galvanized compression coupling o.d. 82.5 white neoprene gasket 3 bolts
MOR0103254W2	Galvanized compression coupling o.d. 82.5 white neoprene gasket 4 bolts
MOR0103312W2	Galvanized compression coupling o.d. 84 white neoprene gasket 2 bolts
MOR0103313W2	Galvanized compression coupling o.d. 84 white neoprene gasket 3 bolts
MOR0103313W4	Galvanized compression coupling o.d. 84 white neoprene gasket 3 bolts
MOR0103314W2	Galvanized compression coupling o.d. 84 white neoprene gasket 4 bolts
MOR0103382W2	Galvanized compression coupling o.d. 86 white neoprene gasket 2 bolts

MOR0103383W2	Galvanized compression coupling o.d. 86 white neoprene gasket 3 bolts
MOR0103384W2	Galvanized compression coupling o.d. 86 white neoprene gasket 4 bolts
MOR0103502W2	Galvanized compression coupling o.d. 88.9 white neoprene gasket 2 bolts
MOR0103503W2FG	Galvanized compression coupling o.d. 88.9 white neoprene gasket 3 bolts
MOR0103504W2FG	Galvanized compression coupling o.d. 88.9 white neoprene gasket 4 bolts
MOR0103663W2	Galvanized compression coupling o.d. 93 white neoprene gasket 3bolts
MOR0103743W2	Galvanized compression coupling o.d. 95 white neoprene/SS GS
MOR0104093W2	Galvanized compression coupling o.d. 104 white neoprene gasket 3 bolts
MOR0104093W3	Galvanized compression coupling o.d. 104 white neoprene gasket 3 bolts
MOR0104093W4	Galvanized compression coupling o.d. 104 white neoprene gasket 3 bolts
MOR0101002W2	Galvanized compression coupling 1-2C-OD for 1.00 OD-25.4mm white neoprene/SS GS